What is claimed is:

- A method of treating erectile dysfunction in a patient, comprising the steps of:
 aerosolizing a formulation comprising sildenafil;
 inhaling the aerosolized formulation into the lungs of a patient; and
 allowing particles comprising sildenafil to deposit on lung tissue, and enter the patient's
 circulatory system.
 - 2. The method of claim 1, further comprising: administering a bolus dose of an androgenic hormone to the patient.
- 3. The method of claim 2, wherein the administering of the androgenic hormone is by:
 aerosolizing a formulation comprised of an androgenic hormone;
 inhaling aerosolized androgenic hormone; and
 allowing the androgenic hormone to deposit on lung tissue.
- 4. The method of claim 3, wherein the androgenic hormone is selected from the group consisting of testosterone and dihydrotestosterone.
- 5. The method of claim 1, wherein the aerosolized particles are comprised of particles having a diameter in a range of from about 1 to about 5 microns.
 - 6. The method of claim 1, wherein the formulation further comprises a testosterone.
- 7. A method of treating erectile dysfunction in a patient, comprising the steps of: aerosolizing a formulation comprising a composition selected from a PDE5 inhibitor, a growth hormone-releasing peptide receptor agonist, a 5-hydroxytryptamine receptor agonist, a dopamine receptor agonist, a melanocortin receptor agonist, an α-adrenoceptor antagonist, alprostadil, papaverine, phentolamine, vasoactive intestinal peptide, guanylyl cyclases, a rho-

kinase antagonist, oxytocin, an oxytocin receptor agonist, or an inhibitor of neuropeptide Y, or a combination thereof,

inhaling the aerosolized formulation into the lungs of a patient; and allowing particles of the composition to deposit on lung tissue, and enter the patient's circulatory system.

- 8. The method of claim 1 or 7, wherein the desired effect of the sildenifil is realized in less then 30 minutes.
- 9. The method of claim 1 or 7, wherein the desired effect is realized in less than 20 minutes
- 10. The method of claim 1 or 7, wherein the desired effect is realized in less than 10 minutes
 - 11. The method of claim 1 or 7, wherein the formulation is a liquid formulation.
 - 12. The method of claim 1 or 7, wherein the formulation is a dry powder.
- 13. The method of claim 1 or 7, wherein the formulation comprises a pressurized propellant.
 - 14. A kit, comprising:

an aerosol delivery device; and

a formulation suitable for creating an aerosol, the formulation comprising an active ingredient selected from the group consisting of an androgenic hormone, sildenafil, or a combination thereof.

15. A kit, comprising: an aerosol delivery device; and

a formulation suitable for creating an aerosol, the formulation comprising an active ingredient selected from the group consisting of one or more of a PDE5 inhibitor, a growth hormone-releasing peptide receptor agonist, a 5-hydroxytryptamine receptor agonist, a dopamine receptor agonist, a melanocortin receptor agonist, an α -adrenoceptor antagonist, alprostadil, papaverine, phentolamine, vasoactive intestinal peptide, guanylyl cyclases, a rho-kinase antagonist, oxytocin, an oxytocin receptor agonist, or an inhibitor of neuropeptide Y, or a combination thereof.

- 16. The kit of claim 14 or 15, wherein the formulation is a liquid formulation
- 17. The kit of claim 14 or 15, wherein the formulation is a dry powder
- 18. The kit of claim 14 or 15, wherein the formulation comprises a pressurized propellant